

Release Statement

Bottom-up gridded population estimates for Nigeria, version 1.1

3 February 2020

Original Release: 22 February 2019

These data were produced by the WorldPop Research Group at the University of Southampton. This work was part of the GRID3 project with funding from the Bill and Melinda Gates Foundation and the United Kingdom's Department for International Development (OPP1182408). Project partners included the United Nations Population Fund, Center for International Earth Science Information Network in the Earth Institute at Columbia University, and the Flowminder Foundation. These data may be distributed using a [Creative Commons Attribution Share-Alike 4.0 License](https://creativecommons.org/licenses/by-sa/4.0/). Contact release@worldpop.org for more information.

CITATION

WorldPop (School of Geography and Environmental Science, University of Southampton). 2018. Bottom-up gridded population estimates for Nigeria, version 1.1. <https://dx.doi.org/10.5258/SOTON/WP00657>

RELEASE CONTENT

1. NGA_population_v1_1_gridded.zip
2. NGA_population_v1_1_admin.zip
3. NGA_population_v1_1_sql.sql
4. NGA_population_v1_1_mastergrid.tif
5. NGA_population_v1_1_tiles_population.zip
6. NGA_population_v1_1_tiles_uncertainty.zip

FILE DESCRIPTIONS

NGA_population_v1_1_gridded.zip

This zip file contains two raster files:

NGA_population_v1_1_gridded.tif

This geotiff raster contains estimates of total population size for each approximately 100 m grid cell across Nigeria. The values are the mean of the posterior probability distribution for the predicted population size in each grid cell. NA values represent areas that were mapped as unsettled by LandScanHD v1.1 (ORNL 2018). These data

are stored as floating point numbers rather than integers to avoid rounding errors in aggregated population totals for larger areas (i.e. as occurred in version 1.0).

NGA_population_v1_1_uncertainty.tif

This geotiff raster contains estimates of uncertainty in the population estimates within each approximately 100 m grid cell across Nigeria. The uncertainty values are the difference between the upper and lower 95% credible intervals of the posterior prediction divided by the mean of the posterior prediction: $(\text{upper} - \text{lower})/\text{mean}$. These numbers provide a comparable measure of uncertainty in population estimates across the country.

NGA_population_v1_1_admin.zip

This zip file contains population totals for administrative units in Nigeria. Local government areas are considered level 3 administrative units. States (level 3 administrative units) are defined in the attribute table of the local government area polygons. The administrative boundaries (i.e. the two ESRI polygon shapefiles) were obtained from eHealth Africa in September of 2018. **These are not official government boundaries.** The .csv spreadsheets contain estimates of the total population sizes in each polygon and the confidence intervals. This includes the mean of the posterior prediction (column *mean*) and the quantiles of the posterior prediction (columns *q025*, *q05*, *q25*, *q50*, *q75*, *q95*, *q975*). The median is *q50* and the 95% credible intervals are described by *q025* and *q975*.

This zip file contains the following five files:

NGA_population_v1_1_admin_level3_boundaries.shp

This shapefile contains local government area boundaries that were used to calculate the population totals in the spreadsheets (below). Note: this file is accompanied by four ancillary files (.dbf, .prf, .shp.xml, and .shx).

NGA_population_v1_1_admin_level0.csv

This spreadsheet contains summary statistics of the posterior prediction for the total population of Nigeria. The national population total was the sum of all state totals using the boundaries described above.

NGA_population_v1_1_admin_level2.csv

This spreadsheet contains summary statistics of the posterior predictions for the total populations of all 37 states in Nigeria (see description of state boundaries above).

NGA_population_v1_1_admin_level3.csv

This spreadsheet contains summary statistics of the posterior predictions for the total populations of all 774 local government areas in Nigeria (see description of local government area boundaries above).

NGA_population_v1_1_sql.sql

This SQLite database contains samples (n=1,000) from the Bayesian posterior predictions of population size in each grid cell. These can be used to derive the posterior distribution for population totals for larger areas that contain more than one grid cell. This database is the source data for WorldPop tools used to display and analyze these model results. Note that these 1,000 samples do not necessarily produce a fully converged posterior distribution.

NGA_population_v1_1_mastergrid.zip

This geotiff raster contains the mastergrid used to define where population estimates were made. It contains a value of 1 in areas that are mapped as residential and values of 0 in unsettled and non-residential areas (based on ORNL 2018). This raster can be used to identify cell IDs of an location in the study area which can be used to lookup population estimates in the SQL database.

NGA_population_v1_1_tiles_population.zip

This tiled web map allows for rapid display of the 100 m gridded population estimates across Nigeria. These can be used to develop web applications for these model results.

NGA_population_v1_1_tiles_uncertainty.zip

This tiles web map allows for rapid display of the 100 m gridded estimates of uncertainty across Nigeria. These can be used to develop web applications for these model results.

RELEASE HISTORY

Version 1.1 (22 February 2019)

- Updated to include floating point rasters rather than integer rasters to resolve rounding errors when calculating population totals for larger areas (e.g. zonal sums)

Version 1.0 (11 November 2018)

- Original release of Nigeria population dataset

ASSUMPTIONS AND LIMITATIONS

These population estimates represent the time period of 2016 to 2017 corresponding to when the microcensus surveys were conducted. This model assumed that zero people lived in areas that were mapped as unsettled by LandScanHD v1.1 (ORNL 2018). The settlement map was based on satellite imagery mostly from 2014 with some images as old as 2010. Our

population estimates assumed that zero people lived in areas that were mapped as unsettled based on these images.

Our population estimates assumed that no people lived in areas classified as non-residential settlements (e.g. industrial and commercial areas). This assumption was necessary because no microcensus data were available from these areas to estimate the expected distribution of population densities.

Population estimates are missing from some areas near the Nigerian border because no data existed for some geospatial covariates in these areas.

SOURCE DATA

Nigeria Microcensus Survey (ORNL 2018)

This microcensus data set comes from household surveys at 1,142 locations in 15 states of Nigeria in 2016 and 2017. These locations represented a random sample stratified by settlement type. Each survey cluster contained about 3 hectares of settled area and the total number of people living in each household was recorded. We used the total number of people in each survey area (i.e. cluster) as the response variable in our statistical model.

LandScanHD v1.1 (ORNL 2018)

We used the Nigeria settlement classification from this data set (see Weber et al. 2018) to classify each grid cell into five different settlement types: urban (A), urban (B), urban (D), urban (F), rural (M), and non-residential (Z). We used this as a predictor of population density.

Nigeria Administrative Boundaries (eHealth Africa 2018)

We obtained these boundaries from eHealth Africa in September of 2018. They represent the boundaries for 37 states and 774 local government areas. These are not official government boundaries.

WorldPop Global Gridded Population Estimates (WorldPop & CIESIN 2018)

We used WorldPop's 2014 gridded population estimates for Nigeria (the most recent available at the time) to develop covariates. WorldPop derived these gridded estimates from projections of the 2006 Nigeria population and housing census. Columbia University's Center for International Earth Science Information Network (CIESIN) projected the population totals for level 2 administrative units (i.e. states) into future years and WorldPop disaggregated these state-level population projections to a 100 m grid using a machine learning approach (Stevens et al. 2015). We used these gridded estimates as a predictor of population density.

Demographic and Health Survey (National Population Commission and ICF International 2014)

We used the household sizes from these surveys to create an interpolated map covering Nigeria with estimates of average household sizes for each grid cell. We used this as a predictor of population density.

Map of Schools in Nigeria (Geopode 2018)

We used a map of schools in Nigeria compiled by eHealth Africa to derive gridded estimates of school densities within a 1 km radius. Because the source data were produced with uneven mapping effort among regions, we rescaled our gridded estimates relative to the average school density within a 50 km radius.

METHODS OVERVIEW

Building on previous population estimation work in Nigeria (Weber et al. 2018), we adopt the model-based approach of [Wardrop et al. \(2018\)](#). We developed a statistical model to estimate population sizes for every 100 m grid cell across Nigeria. These estimates were based on relationships observed between microcensus surveys that enumerated people at a sample of 1,142 locations nationally and high-resolution geospatial datasets that have complete national coverage. These relationships provided a basis for extrapolating population estimates to areas where no population data were available and providing reliable estimates of uncertainty.

We developed a hierarchical Bayesian regression model within the family of Poisson generalised linear mixed models. This included a random intercept that estimated population densities for specific settlement types (ORNL 2018) in each region, state, and local government area (eHealth Africa 2018). The model also included a linear regression that estimated effects of the following geospatial covariates on population densities:

1. Projected, gridded population density (WorldPop 2018)
2. Household size (National Population Commission and ICF International, 2014)
3. Residential settlement area within 1 km (ORNL 2018)
4. Non-residential settlement area within 1 km (ORNL 2018)
5. School density within 1 km (Geopode 2018)

* 1-2 were rescaled (mean = 0, standard deviation = 1) using: $(x - \text{mean}(x)) / \text{sd}(x)$

** 3-5 were rescaled as above but with mean and standard deviation calculated within a 50km radius.

The model was implemented using JAGS (v4.3.0), R (v3.5.0), and the R package *runjags* (Plummer 2003, R Core Team 2013, Denwood 2016). Model-based estimates of population densities for microcensus survey areas that were withheld from the model had an r-squared value of 0.46 indicating moderate model fit at the spatial scale of microcensus clusters (~3 hectares of settlement each). The confidence intervals adequately quantified prediction uncertainty (i.e. they included the observed population sizes most of the time). We expected better prediction accuracy for larger areas (e.g. local government areas and states) but we did not have validation data to assess model fit at these scales. Complete model diagnostics are available upon request (release@worldpop.org).

WORKS CITED

- Denwood MJ. 2016. *runjags*: An R package providing interface utilities, model templates, parallel computing methods and additional distributions for MCMC models in JAGS. *Journal of Statistical Software* 71(9): 1-25
- eHealth Africa 2018.
- Geopode. 2018. Map of schools in Nigeria. <http://geopode.world> Accessed September 2018.
- National Population Commission (NPC) [Nigeria] and ICF International. 2014. *Nigeria Demographic and Health Survey 2013*. Abuja, Nigeria, and Rockville, Maryland, USA: NPC and ICF International.
- [ORNL] Oak Ridge National Laboratory. (2018). *LandScan HD: Nigeria version 1.1*. Oak Ridge National Laboratory: Oak Ridge, TN, USA.
- Plummer M. 2003. JAGS: A program for analysis of Bayesian graphical models using Gibbs sampling. *Proceedings of the 3rd international workshop on distributed statistical computing* 124(125):10.
- R Core Team 2013. R: A language and environment for statistical computing. R Foundation for Statistical Computing, Vienna, Austria.
- Stevens FR, Gaughan AE, Linard C, Tatem AJ. 2015. Disaggregating Census Data for Population Mapping Using Random Forests with Remotely-Sensed and Ancillary Data. *PLOS ONE* 10 (2):e0107042. <https://doi.org/10.1371/journal.pone.0107042>
- Weber EM, Seaman VY, Stewart RN, Bird TJ, Tatem AJ, McKee JJ, Bhaduri BL, Moehl JJ, and Reith AE. 2018. Census-independent population mapping in northern Nigeria. *Remote Sensing of Environment* 204: 786–98. <https://doi.org/https://doi.org/10.1016/j.rse.2017.09.024>
- WorldPop (www.worldpop.org - School of Geography and Environmental Science, University of Southampton; Department of Geography and Geosciences, University of Louisville; Departement de Geographie, Universite de Namur) and Center for International Earth Science Information Network (CIESIN), Columbia University (2018). Global High Resolution Population Denominators Project - Funded by The Bill and Melinda Gates Foundation (OPP1134076). <https://dx.doi.org/10.5258/SOTON/WP00645>